

## EAST Search History

## EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L3	3503	\$5porous near9 (rubberized coat\$3) near9 (fabric cloth\$3 textile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 22:04
L4	16	L3 same (pre\$1wetting wetting) near3 (liquid solvent water)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 22:04
L5	373	L3 same (applying coat\$3 spray\$3 pre\$1wetting wetting) near3 (liquid solvent water)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 22:05
L6	1	5 same dry\$3 near off	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 22:05
L7	116	5 same (heat\$3 evaporat\$4 (dry\$3 near off))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 22:06
L8	1478	\$5porous near9 powder near coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 22:11
L9	60	\$5porous near powder near coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 22:11

L10	86	\$5porous adj (film layer coat\$3) same powder adj coating	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 22:13
L11	28	\$5porous adj (film layer coat\$3) same powder adj coating near20 (melt\$3 molten fus\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 22:14
S1	221	((((UV radiation ultraviolet photo) near2 (polymerizable curable curing cure\$2)) photopolymerizable photocur\$4) near20 powder near coat\$3 and (textile fabric woven non-woven knit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:41
S2	123	((((UV radiation ultraviolet photo) near2 (polymerizable curable curing cure\$2)) photo \$1polymerizable photo\$1cur \$4) near20 powder near coat\$3 and coat\$3 near9 (textile fabric woven non-woven knit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:42
S3	221	((((UV radiation ultraviolet photo) near2 (polymerizable curable curing cure\$2)) photo \$1polymerizable photo\$1cur \$4) near20 powder near coat\$3 and (textile fabric woven non-woven knit)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:44
S4	206	((((UV radiation ultraviolet photo) near2 (polymerizable curable curing cure\$2)) photo \$1polymerizable photo\$1cur \$4) near20 powder near coat\$3 and (textile fabric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:45
S5	124	S3 and (melt\$3 molten) same (heat\$3 infrared IR) and electrostatic\$5 near spray\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:48

S6	27	S3 and (melt\$3 molten) same (infrared IR) and electrostatic\$5 near spray \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:49
S7	2	((((UV radiation ultraviolet photo) near2 (polymerizable curable curing cure\$2)) photo \$1polymerizable photo\$1cur \$4) near20 powder near coat\$3 and (industrial paperma\$10) near4 (cloth \$3 fabric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:55
S8	151	((((UV radiation ultraviolet photo) near2 (polymerizable curable curing cure\$2)) photo \$1polymerizable photo\$1cur \$4) near20 powder near coat\$3 and (cloth\$3 fabric)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:56
S9	672	(um pm) near micron	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:58
S10	68	pm near micron	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 17:59
S11	2	"20070184206"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 18:07
S12	343	infrared near (oven heat \$3) near9 (nm micron mm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 18:19
S13	9	infrared near (oven heat \$3) near (nm micron mm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 18:20

S14	66	infrared near (oven heat \$3) near3 (nm micron mm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 18:20
S15	27	infrared near (oven heat \$3) near3 (micron um pm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 18:21
S16	11032	(oven heat\$3) near3 infrared near (ray wavelength micron um pm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 18:23
S17	5	(oven heat\$3) near3 infrared near (ray wavelength) near (micron um pm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 18:23
S18	5	(oven heat\$3) near3 infrared near (ray wave \$1length) near (micron um pm)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 18:24
S19	42	((MICHAEL) near2 (DRAPER)).INV.	US-PGPUB; USPAT; USOCR	OR	ON	2009/12/29 18:41
S20	1	S19 and powder near coat \$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 18:41
S21	107	wetting near9 (liquid water solvent) near20 powder near coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 20:53
S22	605	(porogen liquid water solvent) near20 (porous pore porosity) near20 powder near coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 20:56

S23	0	porogen near20 (porous pore porosity) near20 powder near coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 20:57
S24	0	porogen near3 coat\$3 and (porous pore porosity) near20 powder near coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 20:58
S25	2	porogen and (porous pore porosity) near20 powder near coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 20:58
S26	80	(porous pore porosity) near2 powder adj coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 20:59
S27	29	porous adj powder adj coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:00
S28	9	porous adj powder adj coating	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:01
S29	16	porous adj (coat\$3 layer film) near20 powder adj coating	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:02
S30	0	porous adj (coat\$3 layer film) near9 (fabric cloth\$3 textile) same powder adj coating	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:04

S31	17	porous adj (coat\$3 layer film) near9 (fabric cloth\$3 textile) and powder adj coating	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:04
S32	0	porous adj coat\$3 near9 (fabric cloth\$3 textile) and powder adj coating	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:05
S33	161	porous adj coat\$3 near19 (fabric cloth\$3 textile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:06
S34	131	porous adj coat\$3 near9 (fabric cloth\$3 textile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:06
S35	93	porous adj coat\$3 near3 (fabric cloth\$3 textile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:06
S36	270	porous near coat\$3 near3 (fabric cloth\$3 textile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:07
S37	117	porous near coat\$3 near (fabric cloth\$3 textile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:07
S38	213	(\$5porous breathable) near coat\$3 near (fabric cloth\$3 textile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:11

S39	1	S38 and (porogen ((blowing pore) near (gas liquid solvent water)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:14
S40	3825	(\$5porous breathable) near9 coat\$3 near9 (fabric cloth\$3 textile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:15
S41	9	S40 same (porogen ((blowing pore) near (gas liquid solvent water)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:15
S42	36	S40 same (porogen ((blowing foaming pore) near (agent compound gas liquid solvent water)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:17
S43	31	S40 same (degass\$3 heat \$3) near(liquid solvent water)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:20
S44	0	S40 same heat\$3 near (liquid solvent water) same powder adj coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:21
S45	0	S40 same heat\$3 near (liquid solvent water) and powder adj coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:22
S46	3	S40 and heat\$3 near (liquid solvent water) and powder adj coat\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:22

S47	31	S40 same heat\$3 near (liquid solvent water)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:23
S48	0	S40 same wetting near3 (solvent water) near (evaporat\$3 dry\$3 degass \$3 remov\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:28
S49	3	S40 same wetting near3 (solvent water) near9 (evaporat\$3 dry\$3 degass \$3 remov\$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:28
S50	15	S40 same wetting near3 (solvent water)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:30
S51	17	S40 same wetting near3 (liquid solvent water)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:30
S52	17	S40 same (pre\$1wetting wetting) near3 (liquid solvent water)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:33
S53	3503	\$5porous near9 (rubberized coat\$3) near9 (fabric cloth\$3 textile)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2009/12/29 21:38

12/ 29/ 2009 10:42:39 PM

C:\Documents and Settings\etsoy\My Documents\EAST Workspaces\10550421.wsp